# CONTENTS OF VOLUME 33

## NUMBER 1


| | | |
|---|---|---|
| **S. L. Mironov** | Metabotropic ATP receptor in hippocampal and thalamic neurones: pharmacology and modulation of $Ca^{2+}$ mobilizing mechanisms | 1 |
| **R. A. J. Challiss, R. Mistry, D. W. Gray and S. R. Nahorski** | Modulation of muscarinic cholinoceptor-stimulated inositol 1,4,5-trisphosphate accumulation by *N*-methyl-D-aspartate in neonatal rat cerebral cortex | 15 |
| **R. A. J. Lester and J. A. Dani** | Time-dependent changes in central nicotinic acetylcholine channel kinetics in excised patches | 27 |
| **K. S. Hsu, W. M. Fu and S. Y. Lin-Shiau** | Blockade by MPTP of the nicotinic acetylcholine receptor channels in embryonic *Xenopus* muscle cells | 35 |
| **R. Carletti, E. Ratti, G. Gaviraghi and N. G. Bowery** | Comparative receptor autoradiography of *ex vivo* and *in vitro* [$^3$H]dizocilpine binding in mouse brain after middle cerebral artery occlusion | 43 |
| **R. Dall'Olio, R. Rimondini and O. Gandolfi** | The NMDA positive modulator D-cycloserine inhibits dopamine-mediated behaviors in the rat | 55 |
| **M. K. Mundey, A. Fletcher and C. A. Marsden** | Effect of the putative 5-$HT_{1A}$ antagonists WAY100135 and SDZ 216–525 on 5-HT neuronal firing in the guinea-pig dorsal raphe nucleus | 61 |
| **P. J. Pauwels and C. Palmier** | Inhibition by 5-HT of forskolin-induced cAMP formation in the renal Opossum epithelial cell line OK: mediation by a 5-$HT_{1B}$ like receptor and antagonism by methiothepin | 67 |
| **F. Bolaños-Jiménez, R. Manhães de Castro and G. Fillion** | Effect of chronic antidepressant treatment on 5-$HT_{1B}$ presynaptic heteroreceptors inhibiting acetylcholine release | 77 |
| **F. Squadrito, G. Calapai, D. Altavilla, D. Cucinotta, B. Zingarelli, G. M. Campo, V. Arcoraci, L. Sautebin, G. Mazzaglia and A. P. Caputi** | Food deprivation increases brain nitric oxide synthase and depresses brain serotonin levels in rats | 83 |
| **G. G. S. Collins** | The characteristics and pharmacology of olfactory cortical LTP induced by theta-burst high frequency stimulation and 1S,3R-ACPD | 87 |
| **F. Zheng, G. Lonart, K. M. Johnson and J. P. Gallagher** | (1S,3R)-1-Aminocyclopentane-1,3-dicarboxylic acid (1S,3R-ACPD) induces burst firing via an inositol-1,4,5-triphosphate-independent pathway at rat dorsolateral septal nucleus | 97 |
| **K. E. Taylor and P. M. B. Cahusac** | The effects of the metabotropic glutamate receptor agonist 1S,3R-ACPD on neurones in the rat primary somatosensory cortex *in vivo* | 103 |
| **B. Ault and L. M. Hildebrand** | $GABA_A$ receptor-mediated excitation of nociceptive afferents in the rat isolated spinal cord–tail preparation | 109 |
| **B. A. Chizh and P. M. Headley** | Thyrotropin-releasing hormone(TRH)-induced facilitation of spinal neurotransmission: a role for NMDA receptors | 115 |
| **L. J. Zhang, N. L. Han and J. S. Han** | Regulation by lithium of the antagonistic effect of cholecystokinin octapeptide on ohmefentanyl-induced antinociception | 123 |
| **A. J. Davis and M. N. Perkins** | Induction of B1 receptors *in vivo* in a model of persistent inflammatory mechanical hyperalgesia in the rat | 127 |
| **F. Noble, M.-C. Fournié-Zaluski and B. P. Roques** | Paradoxical analgesia induced by low doses of naloxone is not potentiated by complete inhibition of enkephalin degradation | 135 |
| *Rapid Communications* | | |
| **M. R. Young, S. M. Fleetwood-Walker, R. Mitchell and F. E. Munro** | Evidence for a role of metabotropic glutamate receptors in sustained nociceptive inputs to rat dorsal horn neurons | 141 |
| **S. Vitagliano, L. Berrino, A. Pizzirusso, E. Lampa and F. Rossi** | Cobalt blocks L-glutamate-induced apnea and arterial hypotension in the nucleus tractus solitarii of anaesthetized rats | 145 |

## NUMBER 2


| | | |
|---|---|---|
| **J. V. Nadler, M. A. Thompson and J. O. McNamara** | Kindling reduces sensitivity of CA3 hippocampal pyramidal cells to competitive NMDA receptor antagonists | 147 |
| **G. Rocha Lauretti, I. Ahmad and B. J. Pleuvry** | The activity of opioid analgesics in seizure models utilizing *N*-methyl-DL-aspartic acid, kainic acid, bicuculline and pentylenetetrazole | 155 |
| **W. Lasoń, B. Przewłocka, A. Coenen, R. Przewłocki and G. van Luijtelaar** | Effects of $\mu$ and $\delta$ opioid receptor agonists and antagonists on absence epilepsy in WAG/Rij rats | 161 |
| **M. Jung, R. Calassi, J. Maruani, M. C. Barnouin, J. Souilhac, M. Poncelet, C. Gueudet, X. Emonds-Alt, P. Soubrié, J. C. Brelière and G. Le Fur** | Neuropharmacological characterization of SR 140333, a non peptide antagonist of $NK_1$ receptors | 167 |
| **K. Itoi, N. Jost, C. Tschöpe, J. Culman, E. Badoer and Th. Unger** | Inhibition by morphine of the cardiovascular and behavioral responses evoked by centrally administered substance P in conscious rats | 181 |
| **N. H. Majeed, B. Przewłocka, H. Machelska and R. Przewłocki** | Inhibition of nitric oxide synthase attenuates the development of morphine tolerance and dependence in mice | 189 |
| **M. S. Desole, W.-K. Kim, R. A. Rabin and S. G. Laychock** | Nitric oxide reduces depolarization-induced calcium influx in PC12 cells by a cyclic GMP-mediated mechanism | 193 |
| **V. Danielisová, M. Chavko and P. H. Schubert** | Effect of propentofylline (HWA 285) on metabolic and functional recovery in the spinal cord after ischemia | 199 |
| **C. Netti, V. Sibilia, F. Guidobono, P. Villani, A. Pecile and P. C. Braga** | Evidence for an inhibitory role of central histamine on carrageenin-inńduced hyperalgesia | 205 |
| **A. R. T. Bailey, G. Clarke and J. B. Wakerley** | Inhibition of supraoptic vasopressin neurones following systemic clonidine | 211 |
| **R. R. Guinetdinov, M. B. Bogdanov, V. S. Kudrin and K. S. Rayevsky** | Remoxipride and raclopride differ from metoclopramide by their effects on striatal dopamine release and biosynthesis in rats | 215 |
| **D. Das, J. Rogers and A. T. Michael-Titus** | Comparative study of the effects of mu, delta and kappa opioid agonists on 3H-dopamine uptake in rat striatum and nucleus accumbens | 221 |
| **R. M. Eglen, C-H. Lee, M. Khabbaz, D. J. Fontana, S. Daniels, T. Kilfoil and E. H. F. Wong** | Comparison of potencies of 5-$HT_3$ receptor antagonists at inhibiting aversive behavior to illumination and the von Bezold–Jarisch reflex in the mouse | 227 |
| **R. Franceschini, A. Cataldi, A. Garibaldi, P. Cianciosi, A. Scordamaglia, T. Barreca and E. Rolandi** | The effects of sumatriptan on pituitary secretion in man | 235 |
| **L. G. Herbette, P. E. Mason, K. R. Sweeney, M. W. Trumbore and R. P. Mason** | Favorable amphiphilicity of nimodipine facilitates its interactions with brain membranes | 241 |
| **K. Yamada, T. Teraoka, S. Morita, T. Hasegawa and T. Nabeshima** | $\omega$-Conotoxin GVIA protects against ischemia-induced neuronal death in the Mongolian gerbil but not against quinolinic acid-induced neurotoxicity in the rat | 251 |
| *Rapid Communications* | | |
| **C. J. Grantham, D. Bowman, C. P. Bath, D. C. Bell and D. Bleakman** | $\omega$-Conotoxin MVIIC reversibly inhibits a human N-type calcium channel and calcium influx into chick synaptosomes | 255 |
| **F. D. Tattersall, W. Rycroft, R. G. Hill and R. J. Hargreaves** | Enantioselective inhibition of apomorphine-induced emesis in the ferret by the $neurokinin_1$ receptor antagonist CP-99,994 | 259 |


## NUMBER 3/4


| | | |
|---|---|---|
| **Nicholas M. Barnes** | *Editorial* | III |
| *Classification Review* | | |
| **G. R. Martin and P. P. A. Humphrey** | Receptors for 5-hydroxytryptamine: current perspectives on classification and nomenclature | 261 |
| *Review* | | |
| **F. G. Boess and I. L. Martin** | Molecular biology of 5-HT receptors | 275 |

*General Papers*

**S. J. Peroutka and T. A. Howell** — The molecular evolution of G protein-coupled receptors: focus on 5-hydroxytryptamine receptors 319

**C. E. Johansson-Wallsten and B. J. Meyerson** — The ontogeny of tolerance to the 5-$HT_{1A}$ agonist 8-OH-DPAT: a study in the rat 325

**S. Hjorth and S. B. Auerbach** — Lack of 5-$HT_{1A}$ autoreceptor desensitization following chronic citalopram treatment, as determined by *in vivo* microdialysis 331

**A. D. Levy, Q. Li and L. D. Van de Kar** — Repeated cocaine exposure inhibits the adrenocorticotropic hormone response to the serotonin releaser d-fenfluramine and the 5-$HT_{1A}$ agonist, 8-OH-DPAT 335

**S. Hogg, N. Andrews and S. E. File** — Contrasting behavioural effects of 8-OH DPAT in the dorsal raphé nucleus and ventral hippocampus 343

**D. M. Tomkins, E. M. Sellers and P. J. Fletcher** — Median and dorsal raphe injections of the 5-$HT_{1A}$ agonist, 8-OH-DPAT, and the $GABA_A$ agonist, muscimol, increase voluntary ethanol intake in Wistar rats 349

**C. Routledge, J. Hartley, J. Gurling, M. Ashworth-Preece, G. Brown and C. T. Dourish** — *In vivo* characterization of the putative 5-$HT_{1A}$ receptor antagonist SDZ 216,525 using two models of somatodendritic 5-$HT_{1A}$ receptor function 359

**A. T. Bruinvels, B. Landwehrmeyer, E. L. Gustafson, M. M. Durkin, G. Mengod, T. A. Branchek, D. Hoyer and J. M. Palacios** — Localization of 5-$HT_{1B}$, 5-$HT_{1D\alpha}$, 5-$HT_{1E}$ and 5-$HT_{1F}$ receptor messenger RNA in rodent and primate brain 367

**N. Adham, J. A. Tamm, J. A. Salon, P. J.-J. Vaysse, R. L. Weinshank and T. A. Branchek** — A single point mutation increases the affinity of serotonin 5-$HT_{1D\alpha}$, 5-$HT_{1D\beta}$, 5-$HT_{1E}$ and 5-$HT_{1F}$ receptors for $\beta$-adrenergic antagonists 387

**S. J. Starkey and M. Skingle** — 5-$HT_{1D}$ as well as 5-$HT_{1A}$ autoreceptors modulate 5-HT release in the guinea-pig dorsal raphé nucleus 393

**N. Adham, P. J.-J. Vaysse, R. L. Weinshank and T. A. Branchek** — The cloned human 5-$HT_{1E}$ receptor couples to inhibition and activation of adenylyl cyclase via two distinct pathways in transfected BS-C-1 cells 403

**C. J. G. Done and T. Sharp** — Biochemical evidence for the regulation of central noradrenergic activity by 5-$HT_{1A}$ and 5-$HT_2$ receptors: microdialysis studies in the awake and anaesthetized rat 411

**H. Gozlan, A.-M. Laporte, S. Thibault, L. E. Schechter, F. Bolaños and M. Hamon** — Differential effects of *N*-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) on various 5-HT receptor binding sites in the rat brain 423

**G. Spurlock, P. Buckland, M. O'Donovan and P. McGuffin** — Lack of effect of antidepressant drugs on the levels of mRNAs encoding serotonergic receptors, synthetic enzymes and 5HT transporter 433

**T. A. Sipes and M. A. Geyer** — Multiple serotonin receptor subtypes modulate prepulse inhibition of the startle response in rats 441

**F. Chaouloff, V. Baudrie and I. Coupry** — Effects of chlorisondamine and restraint on cortical [$^3$H]ketanserin binding, 5-$HT_{2A}$ receptor-mediated head shakes, and behaviours in models of anxiety 449

**E. L. Gibson, A. M. C. Barnfield and G. Curzon** — Evidence that mCPP-induced anxiety in the plus-maze is mediated by postsynaptic 5-$HT_{2C}$ receptors but not by sympathomimetic effects 457

**A. L. Sharpley, J. M. Elliott, M.-J. Attenburrow and P. J. Cowen** — Slow wave sleep in humans: role of 5-$HT_{2A}$ and 5-$HT_{2C}$ receptors 467

**D. L. Downie, A. G. Hope, J. L. Lambert, J. A. Peters, T. P. Blackburn and B. Jones** — Pharmacological characterization of the apparent splice variants of the murine 5-$HT_3$ R-A subunit expressed in *Xenopus laevis* oocytes 473

**J. Y. Zhang, M. L. Zeise and R. Y. Wang** — Serotonin$_3$ receptor agonists attenuate glutamate-induced firing in rat hippocampal CA1 pyramidal cells 483

**M.-I. Sepúlveda, J. Baker and S. C. R. Lummis** — Chlorpromazine and QX222 block 5-$HT_3$ receptors in N1E-115 neuroblastoma cells 493

**A. R. Kooyman, R. Zwart, P. M. L. Vanderheijden, J. A. Van Hooft and H. P. M. Vijverberg** — Interaction between enantiomers of mianserin and ORG3770 at 5-$HT_3$ receptors in cultured mouse neuroblastoma cells 501

**A. S. Chappell, J. M. Bay, G. D. Botzum and M. L. Cohen** — Zatosetron, a 5-$HT_3$ receptor antagonist in a multicenter trial for acute migraine 509

| | | |
|---|---|---|
| **R. M. Eglen, D. W. Bonhaus, R. D. Clark, L. G. Johnson, C.-H. Lee, E. Leung, W. L. Smith, E. H. F. Wong and R. L. Whiting** | (R) and (S) RS 56532: mixed 5-$HT_3$ and 5-$HT_4$ receptor ligands with opposing enantiomeric selectivity | 515 |
| **C. Waeber, M. Sebben, A. Nieoullon, J. Bockaert and A. Dumuis** | Regional distribution and ontogeny of 5-$HT_4$ binding sites in rodent brain | 527 |
| **G. B. Schiavi, S. Brunet, C. A. Rizzi and H. Ladinsky** | Identification of serotonin 5-$HT_4$ recognition sites in the porcine caudate nucleus by radioligand binding | 543 |
| **S. Roychowdhury, H. Haas and E. G. Anderson** | 5-$HT_{1A}$ and 5-$HT_4$ receptor colocalization on hippocampal pyramidal cells | 551 |
| **A. Rex, H. Fink and C. A. Marsden** | Effects of BOC-CCK-4 and L 365.260 on cortical 5-HT release in guinea-pigs on exposure to the elevated plus maze | 559 |
| **K. E. Heslop and G. Curzon** | Depletion and repletion of cortical tissue and dialysate 5-HT after reserpine | 567 |
| **S. B. Park, J. T. Coull, R. H. McShane, A. H. Young, B. J. Sahakian, T. W. Robbins and P. J. Cowen** | Tryptophan depletion in normal volunteers produces selective impairments in learning and memory | 575 |


## NUMBER 5


| | | |
|---|---|---|
| **C. G. Parsons, R. Gruner and J. Rozental** | Comparative patch clamp studies on the kinetics and selectivity of glutamate receptor antagonism by 2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(F)quinoxaline (NBQX) and 1-(4-amino-phenyl)-4-methyl-7,8-methyl-endioxyl-5H-2,3-benzo-diazepine (GYKI 52466) | 589 |
| **P. C. Pearce, C. J. Maclean, H. K. Shergill, E. M. Ward, M. J. Halsey, G. Tindley, J. Pearson and B. S. Meldrum** | Protection from high pressure induced hyperexcitability by the AMPA/kainate receptor antagonists GYKI 52466 and LY 293558 | 605 |
| **A. Schulze-Bonhage, R. Köhling, H. Straub and E.-J. Speckmann** | Flunarizine shows increased antiepileptic efficacy with elevated $K^+$ levels in low magnesium induced epileptic activity (neocortical slices, guinea pig) | 613 |
| **T. Żarnowski, Z. Kleinrok, W. A. Turski and S. J. Czuczwar** | The competitive NMDA antagonist, D-CPP-ene, potentiates the anticonvulsant activity of conventional antiepileptics against maximal electroshock-induced seizures in mice | 619 |
| **J. L. Stringer and M. G. Higgins** | Pharmacological characterization of the afterdischarge that precedes the onset of maximal dentate activation in the rat | 625 |
| **J. J. Woodward** | The effects of thiol reduction and oxidation on the inhibition of NMDA-stimulated neurotransmitter release by ethanol | 635 |
| **J. C. Pérez-Baun, I. Galve, A. Ruiz-Verdú, A. Haro and A. Guillén** | Octopamine-sensitive adenylyl cyclase and G proteins in *Ceratitis capitata* brain during aging | 641 |
| **K. K. Gnanalingham, A. J. Hunter, P. Jenner and C. D. Marsden** | An autoradiographic study of the differential effects of N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) on striatal and extrastriatal D-1 and D-2 dopamine receptors in the rat | 647 |
| **M. N. Perkins and D. Kelly** | Interleukin-1$\beta$ induced-desArg$^9$bradykinin-mediated thermal hyperalgesia in the rat | 657 |
| **J.-P. Devillers, H. Mazarguil, M. Allard, A. H. Dickenson, J.-M. Zajac and G. Simonnet** | Characterization of a potent agonist for NPFF receptors: binding study on rat spinal cord membranes | 661 |
| **M. Ozaki, Y. Miyamoto, S. Kishioka, Y. Masuda and H. Yamamoto** | Participation of opioid receptor types on post-tetanic twitch inhibition in isolated guinea-pig ileal longitudinal muscle | 671 |
| **H. Wang and J. Sagen** | Absence of appreciable tolerance and morphine cross-tolerance in rats with adrenal medullary transplants in the spinal cord | 681 |
| **F. Chaouloff** | Effects of repeated 2-deoxy-D-glucose administration on ingestive, psychological, and 5-HT-related behaviours in the rat | 693 |
| **J. M. Monti and H. Jantos** | Stereoselective antagonism by the pindolol enantiomers of 8-OH-DPAT-induced changes of sleep and wakefulness | 705 |

*Rapid Communications*

**A. Ceci, A. Baschirotto and F. Borsini** — The inhibitory effect of 8-OH-DPAT on the firing activity of dorsal raphe serotoninergic neurons in rats is attenuated by lesion of the frontal cortex 709

**T. Opitz, P. Richter and K. G. Reymann** — The metabotropic glutamate receptor antagonist (+)-α-methyl-4-carboxyphenylglycine protects hippocampal CA1 neurons of the rat from *in vitro* hypoxia/hypoglycemia 715

## NUMBER 6

**H. E. W. Day, A. T. McKnight, J. A. Poat and J. Hughes** — Evidence that cholecystokinin induces immediate early gene expression in the brainstem, hypothalamus and amygdala of the rat by a $CCK_A$ receptor mechanism 719

**E. Vasar, A. Lang, J. Harro, M. Bourin and J. Bradwejn** — Evidence for potentiation by CCK antagonists of the effect of cholecystokinin octapeptide in the elevated plus-maze 729

**M. Migaud, B. P. Roques and C. Durieux** — Effects of cholecystokinin octapeptide and BC 264, a potent and selective CCK-B agonist on aspartate and glutamate release from rat hippocampal slices 737

**M. N. Rodriguez-Sanchez, M. C. Boyano-Adánez, L. Puebla, N. Rodriguez-Henche, L. G. Guijarro, J. C. Prieto and E. Arilla** — Effect of sulpiride on somatostatin receptors, somatostatin-like immunoreactivity and modulation of adenylyl cyclase activity in the rat brain 745

**J. E. De Séréville, C. Boer, F. A. Rambert and J. Duteil** — Lack of pre-synaptic dopaminergic involvement in modafinil activity in anaesthetized mice: *in vivo* voltammetry studies 755

**J. Fang and P. H. Yu** — Effect of L-deprenyl, its structural analogues and some monoamine oxidase inhibitors on dopamine uptake 763

**H. Bachelard, S. M. Gardiner, P. A. Kemp and T. Bennett** — Regional haemodynamic effects of carbachol injected into the hypothalamic paraventricular nuclei of conscious, unrestrained rats 769

**S. Maione, L. Berrino, A. Pizzirusso, J. Leyva, A. Filippelli, S. Vitagliano and F. Rossi** — Effects of the polyamine spermidine on NMDA-induced arterial hypertension in freely moving rats 789

**B. E. Svensson, T. R. Werkman and M. A. Rogawski** — Alaproclate effects on voltage-dependent $K^+$ channels and NMDA receptors: studies in cultured rat hippocampal neurons and fibroblast cells transformed with Kv1.2 $K^+$ channel cDNA 795

**G. A. van der Hoek and S. J. Cooper** — Ondansetron, a selective 5-$HT_3$ receptor antagonist, reduces palatable food consumption in the nondeprived rat 805

**B. Gao and M. G. Cutler** — Effects of acute and chronic administration of the antidepressants, imipramine, phenelzine and mianserin, on the social behaviour of mice 813

**G. Laviola, M. Fiore, G. Loggi and E. Alleva** — Prenatal cocaine potentiates the effects of morphine in adult mice 825

*Rapid Communication*

**E. Frittoli, M. Gobbi and T. Mennini** — Involvement of P-type $Ca^{2+}$ channels in the $K^+$ and d-fenfluramine-induced [$^3$H]5-HT release from rat hippocampal synaptosomes 833

## NUMBER 7

**S. T. Safrany and S. R. Nahorski** — A comparison between muscarinic receptor occupancy, inositol 1,4,5-trisphosphate accumulation and $Ca^{2+}$ mobilization in permeabilized SH-SY5Y neuroblastoma cells 837

**K. Abe, A. Nakata, A. Mizutani and H. Saito** — Facilitatory but nonessential role of the muscarinic cholinergic system in the generation of long-term potentiation of population spikes in the dentate gyrus *in vivo* 847

**G. Richter-Levin, M. L. Errington, H. Maegawa and T. V. P. Bliss** — Activation of metabotropic glutamate receptors is necessary for long-term potentiation in the dentate gyrus and for spatial learning 853

**S. Vitagliano, L. Berrino, A. Pizzirusso, M. D'Amico, V. Calderaro, S. Maione and F. Rossi** — Metabotropic glutamate receptors are involved in the control of breathing at the medulla oblongata level of anaesthetized rats 859

| | | |
|---|---|---|
| **S. Hogg and S. E. File** | Regional differences in rat benzodiazepine binding in response to novelty and cat odour | 865 |
| **Y. Suzuki, L. Wang, J. Edge, T. Mimaki and P. D. Walson** | Anticonvulsant tolerance to clonazepam in amygdala kindled rats: clonazepam concentrations and benzodiazepine receptor binding | 869 |
| **M. Capogna, N. Berretta, F. Berton, R. Bianchi, M. Brunelli and W. Francesconi** | The $\beta$-carboline derivative DMCM decreases $\gamma$-aminobutyric acid responses and $Ca^{2+}$-mediated $K^+$-conductance in rat neocortical neurons *in vitro* | 875 |
| **F. Weinsberg, U. Bickmeyer and H. Wiegand** | Effects of tetrandrine on calcium channel currents of bovine chromaffin cells | 885 |
| **K. Inoue, K. Nakazawa, K. Inoue, K. Fujimori and A. Takanaka** | Modulation by alkyl *p*-hydroxybenzoates of voltage- and ligand-gated channels in peripheral neuronal cells | 891 |
| **H. Crick, N. A. Manuel and D. I. Wallis** | A novel 5-HT receptor or a combination of 5-HT receptor subtypes may mediate depression of a spinal monosynaptic reflex *in vitro* | 897 |
| **K. Kasamo, K. Tada, N. Ueda, T. Kojima, M. Kogure and K. Ishikawa** | Effects of several 5-$HT_{1A}$ agonists on hippocampal rhythmical slow activity in unanesthetized rats | 905 |
| **P. M. Gross, D. F. Weaver, R. J. Bowers, S. Nag, L. T. Ho, J. J. Pang and F. J. Espinosa** | Neurotoxicity in conscious rats following intraventricular SNAP, a nitric oxide donor | 915 |
| **W. Musleh, A. Bruce, B. Malfroy and M. Baudry** | Effects of EUK-8, a synthetic catalytic superoxide scavenger, on hypoxia- and acidosis-induced damage in hippocampal slices | 929 |


## NUMBER 8


| | | |
|---|---|---|
| *Review* | | |
| **N. L. Harrison and S. J. Gibbons** | $Zn^{2+}$: an endogenous modulator of ligand- and voltage-gated ion channels | 935 |
| *General Papers* | | |
| **A. M. Moudy, K. A. Yamada and S. M. Rothman** | Rapid desensitization determines the pharmacology of glutamate neurotoxicity | 953 |
| **J. H. Mayer, S. C. Steffensen and S. J. Henriksen** | Electrophysiological effects of selective opioid agonists on spontaneous and evoked neuronal activity in the dentate gyrus of the hippocampus *in vivo* | 963 |
| **G. Improta and M. Broccardo** | Effect of selective $mu_1$, $mu_2$ and $delta_2$ opioid receptor agonists on gastric functions in the rat | 977 |
| **M. Kujacic and A. Carlsson** | Influence of GBR 12909 and d-amphetamine on indices of catecholamine synthesis and release in rat adrenal glands | 983 |
| **F. J. Lopez-Valpuesta and R. D. Myers** | Fever produced by interleukin-11 (IL-11) injected into the anterior hypothalamic pre-optic area of the rat is antagonized by indomethacin | 989 |
| **I. Belcheva, S. Belcheva, V. V. Petkov and V. D. Petkov** | Asymmetry in behavioral responses to cholecystokinin microinjected into rat nucleus accumbens and amygdala | 995 |
| **D. M. Jackson, A. Bengtsson, C. Johansson, L. Cortizo and S. B. Ross** | Development of tolerance to 8-OH-DPAT induced blockade of acquisition of a passive avoidance response | 1003 |
| **J. P. Kelly and B. E. Leonard** | The effect of tianeptine and sertraline in three animal models of depression | 1011 |
| **C. Maudhuit, T. Jolas, E. Lainey, M. Hamon and J. Adrien** | Effects of acute and chronic treatment with amoxapine and cericlamine on the sleep–wakefulness cycle in the rat | 1017 |
| **L. B. Jakeman, Z. P. To, R. M. Eglen, E. H. F. Wong and D. W. Bonhaus** | Quantitative autoradiography of 5-$HT_4$ receptors in brains of three species using two structurally distinct radioligands, [$^3$H]GR113808 and [$^3$H]BIMU-1 | 1027 |


## NUMBER 9


| | | |
|---|---|---|
| **S. Jin and B. B. Fredholm** | Role of NMDA, AMPA and kainate receptors in mediating glutamate- and 4-AP-induced dopamine and acetylcholine release from rat striatal slices | 1039 |

| | | |
|---|---|---|
| **M. A. Pak, H. L. Haas, U. K. M. Decking and J. Schrader** | Inhibition of adenosine kinase increases endogenous adenosine and depresses neuronal activity in hippocampal slices | 1049 |
| **D. R. Collins and S. N. Davies** | Potentiation of synaptic transmission in the rat hippocampal slice by exogenous L-glutamate and selective L-glutamate receptor subtype agonists | 1055 |
| **A. J. Seal, G. L. Collingridge and J. M. Henley** | *In vitro* translation and membrane topology of rat recombinant mGluR1α | 1065 |
| **M. T. Corasaniti, G. Melino, R. L. Tartaglia, A. Finazzi-Agrò and G. Nistico** | *N*-methyl-D-aspartate-induced excessive formation of nitric oxide in CHP100 neuroblastoma cells produces death of BMEL melanoma cells in co-culture | 1071 |
| **T. Ogata, Y. Nakamura, K. Tsuji, T. Shibata, K. Kataoka, M. Ishida and H. Shinozaki** | A marked increase in intracellular $Ca^{2+}$ concentration induced by acromelic acid in cultured rat spinal neurons | 1079 |
| **A. J. Roberts and L. D. Keith** | Sensitivity of the circadian rhythm of kainic acid-induced convulsion susceptibility to manipulations of corticosterone levels and mineralocorticoid receptor binding | 1087 |
| **A. O'Connell, B. Earley and B. E. Leonard** | Phencyclidine prevents spatial navigation and passive avoidance deficits in ibotenate lesioned rats | 1095 |
| **G. D. Smith, S. M. Harrison, P. J. Birch, P. J. Elliott, M. Malcangio and N. G. Bowery** | Increased sensitivity to the antinociceptive activity of (±)-baclofen in an animal model of chronic neuropathic, but *not* chronic inflammatory hyperalgesia | 1103 |
| **E. Przegaliński, E. Tatarczyńska, A. Kłodzińska and E. Chojnacka-Wójcik** | The role of postsynaptic 5-$HT_{1A}$ receptors in the anticonflict effect of ipsapirone | 1109 |
| **D. Argenti and A. P. D'mello** | Design of a desipramine dosing regimen for the rapid induction and maintenance of maximal cortical β-adrenoceptor downregulation | 1117 |


## NUMBER 10


| | | |
|---|---|---|
| **B. J. Krishek, X. Xie, M. J. Bouchet and T. G. Smart** | *m*-Sulphonate benzene diazonium chloride: a novel $GABA_A$ receptor antagonist | 1125 |
| **L.-M. Tian and K. A. Alkadhi** | Valproic acid inhibits the depolarizing rectification in neurons of rat amygdala | 1131 |
| **A. Rueff, I. A. Patel, L. Urban and A. Dray** | Regulation of bradykinin sensitivity in peripheral sensory fibres of the neonatal rat by nitric oxide and cyclic GMP | 1139 |
| **X.-Y. Hua, S. Jinno, S. M. Back, E. K. Tam and T. L. Yaksh** | Multiple mechanisms for the effects of capsaicin, bradykinin and nicotine on CGRP release from tracheal afferent nerves: role of prostaglandins, sympathetic nerves and mast cells | 1147 |
| **P. M. Gross, D. F. Weaver, L. T. Ho, J. J. Pang and L. Edvinsson** | FR139317, a specific $ET_A$-receptor antagonist, inhibits cerebral activation by intraventricular endothelin-1 in conscious rats | 1155 |
| **T. Kameyama, M. Ukai and M. Miura** | Dynorphin A-(1–13) potently improves galanin-induced impairment of memory processes in mice | 1167 |
| **P. I. Johnson and J. R. Stellar** | Comparison of delta opiate receptor agonist induced reward and motor effects between the ventral pallidum and dorsal striatum | 1171 |
| **K. Kinoshita, T. Nagao and H. Ono** | Effects of TA-0910, an orally active TRH analog, on the spinal reflex in spinal rats | 1183 |
| **X. Hou, A. Vandermeers, P. Gourlet, M.-C. Vandermeers-Piret and P. Robberecht** | Structural requirements for the occupancy of rat brain PACAP receptors and adenylate cyclase activation | 1189 |
| **M. H. O'Regan, M. Smith-Barbour, L. M. Perkins, X. Cao and J. W. Phillis** | The effect of amflutizole, a xanthine oxidase inhibitor, on ischemia-evoked purine release and free radical formation in the rat cerebral cortex | 1197 |
| **E. Gil-Martín, A. Fernández-Briera, A. Fernández-López and P. Calvo** | Effect of chronic treatment with ethanol and withdrawal of ethanol on binding of [$^3$H]SCH23390 to D1 dopamine receptor in rat visual cortex and hippocampus. An autoradiographic study | 1203 |
| **S. Gaur, R. Newcomb, B. Rivnay, J. R. Bell, D. Yamashiro, J. Ramachandran and G. P. Miljanich** | Calcium channel antagonist peptides define several components of transmitter release in the hippocampus | 1211 |

## NUMBER 11


| | | |
|---|---|---|
| | *Editorial* | *v* |
| *Reviews* | | |
| **T. Hökfelt, S. Ceccatelli, L. Gustafsson, A.-L. Hulting, V. Verge, M. Villar, Xiao-Jun Xu, Zhi-Qing Xu, Z. Wiesenfeld-Hallin and Xu Zhang** | Plasticity of NO synthase expression in the nervous and endocrine systems | 1221 |
| **S. A. Lipton and J. S. Stamler** | Actions of redox-related congeners of nitric oxide at the NMDA receptor | 1229 |
| *General Papers* | | |
| **J. Wood and J. Garthwaite** | Models of the diffusional spread of nitric oxide: implications for neural nitric oxide signalling and its pharmacological properties | 1235 |
| **J. L. Dinerman, J. P. Steiner, T. M. Dawson, V. Dawson and S. H. Snyder** | Cyclic nucleotide dependent phosphorylation of neuronal nitric oxide synthase inhibits catalytic activity | 1245 |
| **B. Mayer, P. Klatt, E. R. Werner and K. Schmidt** | Molecular mechanisms of inhibition of porcine brain nitric oxide synthase by the antinociceptive drug 7-nitro-indazole | 1253 |
| **I. Yokoi, H. Kabuto, H. Habu, K. Inada, J. Toma and A. Mori** | Structure–activity relationships of arginine analogues on nitric oxide synthase activity in the rat brain | 1261 |
| **J. Rodriguez, J.-F. Quignard, L. Fagni, M. Lafon-Cazal and J. Bockaert** | Blockade of nitric oxide synthesis by tyrosine kinase inhibitors in neurones | 1267 |
| **M. Distler, M. Biel, V. Flockerzi and F. Hofmann** | Expression of cyclic nucleotide-gated cation channels in non-sensory tissues and cells | 1275 |
| **D. T. Hess, Li-Hsien Lin, J. A. Freeman and J. J. Norden** | Modification of cysteine residues within $G_o$ and other neuronal proteins by exposure to nitric oxide | 1283 |
| **W. Martin, K. H. M. McAllister and K. Paisley** | NANC neurotransmission in the bovine retractor penis muscle is blocked by superoxide anion following inhibition of superoxide dismutase with diethyldithiocarbamate | 1293 |
| **K. D. Keef, C. W. R. Shuttleworth, C. Xue, O. Bayguinov, N. G. Publicover and K. M. Sanders** | Relationship between nitric oxide and vasoactive intestinal polypeptide in enteric inhibitory neurotransmission | 1303 |
| **K. J. Way and J. J. Reid** | Effect of aminoguanidine on the impaired nitric oxide-mediated neurotransmission in anococcygeus muscle from diabetic rats | 1315 |
| **E. Ekblad, H. Mulder, R. Uddman and F. Sundler** | NOS-containing neurons in the rat gut and coeliac ganglia | 1323 |
| **K. Irie, E. Fujii, Y. Uchida and T. Muraki** | Involvement of endogenous nitric oxide in non-adrenergic, non-cholinergic contraction elicited by [Met$^5$]-enkephalin in rat isolated duodenum | 1333 |
| **A. Argiolas** | Nitric oxide is a central mediator of penile erection | 1339 |
| **D. Luo and S. R. Vincent** | NMDA-dependent nitric oxide release in the hippocampus *in vivo*: interactions with noradrenaline | 1345 |
| **N. M. Jones, R. E. Loiacono, M. Møller and P. M. Beart** | Diverse roles for nitric oxide in synaptic signalling after activation of NMDA release-regulating receptors | 1351 |
| **M. D. Black, E. K. Matthews and P. P. A. Humphrey** | The effects of a photosensitive nitric oxide donor on basal and electrically-stimulated dopamine efflux from the rat striatum *in vitro* | 1357 |
| **A. K. Stout and J. J. Woodward** | Differential effects of nitric oxide gas and nitric oxide donors on depolarization-induced release of [$^3$H]norepinephrine from rat hippocampal slices | 1367 |
| **K. P. S. J. Murphy, J. H. Williams, N. Bettache and T. V. P. Bliss** | Photolytic release of nitric oxide modulates NMDA receptor-mediated transmission but does not induce long-term potentiation at hippocampal synapses | 1375 |
| **D. M. Bannerman, S. P. Butcher and R. G. M. Morris** | Intracerebroventricular injection of a nitric oxide synthase inhibitor does not affect long-term slope potentiation *in vivo* | 1387 |
| **F. Crepel, E. Audinat, H. Daniel, N. Hemart, D. Jaillard, J. Rossier and B. Lambolez** | Cellular locus of the nitric oxide-synthase involved in cerebellar long-term depression induced by high external potassium concentration | 1399 |
| **G. N. Nöll, M. Billek, C. Pietruck and K.-F. Schmidt** | Inhibition of nitric oxide synthase alters light responses and dark voltage of amphibian photoreceptors | 1407 |

| | | |
|---|---|---|
| **J. Cudeiro, K. L. Grieve, C. Rivadulla, R. Rodríguez, S. Martínez-Conde and C. Acuña** | The role of nitric oxide in the transformation of visual information within the dorsal lateral geniculate nucleus of the cat | 1413 |
| **S. K. Park, D. Grzybicki, H. L. Lin and S. Murphy** | Modulation of inducible nitric oxide synthase expression in astroglial cells | 1419 |
| **V. L. Dawson, H. P. Brahmbhatt, J. A. Mong and T. M. Dawson** | Expression of inducible nitric oxide synthase causes delayed neurotoxicity in primary mixed neuronal–glial cortical cultures | 1425 |
| **G. Garthwaite and J. Garthwaite** | Nitric oxide does not mediate acute glutamate neurotoxicity, nor is it neuroprotective, in rat brain slices | 1431 |
| **B. P. Connop, N. G. Rolfe, R. J. Boegman, K. Jhamandas and R. J. Beninger** | Potentiation of NMDA-mediated toxicity on nigrostriatal neurons by a low dose of 7-nitro indazole | 1439 |
| **T. Dalkara, T. Yoshida, K. Irikura and M. A. Moskowitz** | Dual role of nitric oxide in focal cerebral ischemia | 1447 |
| **J. Li and C. Iadecola** | Nitric oxide and adenosine mediate vasodilation during functional activation in cerebellar cortex | 1453 |
| **A.-M. Babey, Y. Kolesnikov, J. Cheng, C. E. Inturrisi, R. R. Trifilletti and G. W. Pasternak** | Nitric oxide and opioid tolerance | 1463 |
| **S. T. Meller, C. Dykstra, D. Grzybycki, S. Murphy and G. F. Gebhart** | The possible role of glia in nociceptive processing and hyperalgesia in the spinal cord of the rat | 1471 |
| **S. H. Ferreira and B. B. Lorenzetti** | Glutamate spinal retrograde sensitization of primary sensory neurons associated with nociception | 1479 |
| **M. L. Semos and P. M. Headley** | The role of nitric oxide in spinal nociceptive reflexes in rats with neurogenic and non-neurogenic peripheral inflammation | 1487 |
| **E. M. Hull, L. A. Lumley, L. Matuszewich, J. Dominguez, J. Moses and D. S. Lorrain** | The roles of nitric oxide in sexual function of male rats | 1499 |
| **M. R. Dzoljic and R. de Vries** | Nitric oxide synthase inhibition reduces wakefulness | 1505 |
| *Rapid Communication* | | |
| **M. R. Broome, G. L. Collingridge and A. J. Irving** | Activation of the NO–cGMP signalling pathway depresses hippocampal synaptic transmission through an adenosine receptor-dependent mechanism | 1511 |


## NUMBER 12


| | | |
|---|---|---|
| **D. Mattia, T. Nagao, M. A. Rogawski and M. Avoli** | Potassium channel activators counteract anoxic hyperexcitability but not 4-aminopyridine-induced epileptiform activity in the rat hippocampal slice | 1515 |
| **C. U. Eccles, R. S. Rogowski, X. Gu, B. E. Alger and M. P. Blaustein** | Tityustoxin-Kα, from scorpion venom, blocks voltage-gated, non-inactivating potassium current in cultured central neurons | 1523 |
| **R. Gill and D. Lodge** | The neuroprotective effects of the decahydroisoquinoline, LY 215490; a novel AMPA antagonist in focal ischaemia | 1529 |
| **V. L. Peres-Polon and F. M. A. Corrêa** | Pressor effects of acetylcholine injected into the lateral septal area of conscious rats | 1537 |
| **C. Reyes-Vázquez, B. Prieto-Gómez and N. Dafny** | Alpha-interferon suppresses food intake and neuronal activity of the lateral hypothalamus | 1545 |
| **J. Kamei, Y. Iwamoto, M. Misawa, H. Nagase and Y. Kasuya** | Evidence for differential modulation of $\mu$-opioid receptor-mediated antinociceptive and antitussive activities by spleen-derived factor(s) from diabetic mice | 1553 |
| **C. A. Crawford, S. A. McDougall and M. T. Bardo** | Effects of EEDQ on the synthesis and metabolism of dopamine in preweanling and adult rats | 1559 |
| **D. M. Lovinger and Q. Zhou** | Alcohols potentiate ion current mediated by recombinant 5-$HT_3$RA receptors expressed in a mammalian cell line | 1567 |
| **P. Fan and F. F. Weight** | Procaine impairs the function of 5-$HT_3$ receptor–ion channel complex in rat sensory ganglion neurons | 1573 |

**G. A. Kennett, S. Lightowler, V. De Biasi, N. C. Stevens, M. D. Wood, I. F. Tulloch and T. P. Blackburn** — Effect of chronic administration of selective 5-hydroxytryptamine and noradrenaline uptake inhibitors on a putative index of 5-$HT_{2C/2B}$ receptor function 1581

**K. E. Hewitt and A. R. Green** — Chlormethiazole, dizocilpine and haloperidol prevent the degeneration of serotonergic nerve terminals induced by administration of MDMA ('Ecstasy') to rats 1589

**X-O. Zhu and N. McNaughton** — The interaction of serotonin depletion with anxiolytics and antidepressants on reticular-elicited hippocampal RSA 1597

*Rapid Communications*

**J. A. Rudd and R. J. Naylor** — Effects of 5-hydroxytryptamine$_3$ receptor antagonists on models of acute and delayed emesis induced by cisplatin in the ferret 1607

**S. Boyce, C.-C. Chan, R. Gordon, C.-S. Li, I. W. Rodger, J. K. Webb, N. M. J. Rupniak and R. G. Hill** — L-745,337: a selective inhibitor of cyclooxygenase-2 elicits antinociception but not gastric ulceration in rats 1609

*Corrigendum* 1613